


**AMENDED CLAIM SET:**

1. – 9. (cancelled).

10. (previously presented): A room temperature curable organopolysiloxane composition comprising


(A) 100 parts by weight of an organopolysiloxane of the following general formula (2):



wherein  $R^1$  is a substituted or unsubstituted monovalent hydrocarbon radical of 1 to 10 carbon atoms,  $n$  is an integer of at least 10,  $R^2$  is a substituted or unsubstituted monovalent hydrocarbon radical of 1 to 6 carbon atoms, and  $m$  is independently an integer of 0 or 1, or both,

(B) 0.1 to 30 parts by weight of a silane compound having at least two ketoxime radicals each attached to a silicon atom in a molecule, the remaining radicals attached to silicon atoms being selected from the group consisting of methyl, ethyl, propyl, vinyl and phenyl, or a partial hydrolyzate thereof or both, and

(C) 0.1 to 10 parts by weight of an organosilicon compound of the following general formula (3):



wherein R<sup>1</sup> and R<sup>2</sup> are as defined above, R<sup>3</sup> is a divalent hydrocarbon radical of 1 to 10 carbon atoms, R<sup>4</sup> is a divalent aromatic ring-bearing hydrocarbon radical of 7 to 10 carbon atoms, and p is an integer of 1 to 3, at least one of the NH and NH<sub>2</sub> radicals being not directly attached to the aromatic ring in R<sup>4</sup>.

11. (previously presented): The composition of claim 10, wherein in formula (3), R<sup>2</sup> is methyl or ethyl and R<sup>3</sup> is methylene, ethylene, or propylene.

12. (previously presented): The composition of claim 10, wherein in formula (3), R<sup>4</sup> is selected from the following structures:

- |  |           |
|--|-----------|
| -CH <sub>2</sub> -C <sub>6</sub> H <sub>4</sub> -  | (4),      |
| -CH <sub>2</sub> -C <sub>6</sub> H <sub>4</sub> -CH <sub>2</sub> -                                   | (5),      |
| -CH <sub>2</sub> -C <sub>6</sub> H <sub>4</sub> -CH <sub>2</sub> -CH <sub>2</sub> -                  | (6),      |
| -CH <sub>2</sub> -C <sub>6</sub> H <sub>4</sub> -CH <sub>2</sub> -CH <sub>2</sub> -CH <sub>2</sub> - | (7),      |
| -CH <sub>2</sub> -CH <sub>2</sub> -C <sub>6</sub> H <sub>4</sub> -                                   | (8),      |
| -CH <sub>2</sub> -CH <sub>2</sub> -C <sub>6</sub> H <sub>4</sub> -CH <sub>2</sub> -                  | (9),      |
| -CH <sub>2</sub> -CH <sub>2</sub> -C <sub>6</sub> H <sub>4</sub> -CH <sub>2</sub> -CH <sub>2</sub> - | (10),     |
| -CH <sub>2</sub> -CH <sub>2</sub> -CH <sub>2</sub> -C <sub>6</sub> H <sub>4</sub> -                  | (11), and |
| -CH <sub>2</sub> -CH <sub>2</sub> -CH <sub>2</sub> -C <sub>6</sub> H <sub>4</sub> -CH <sub>2</sub> - | (12).     |

13. (previously presented): The composition of claim 10, further comprising a filler.

14. (previously presented): The composition of claim 13, wherein the filler is silica and/or carbon black.

15. (cancelled).

16. (currently amended): ~~The composition of claim 10,~~ A composition comprising a silanol end-blocked polydimethylsiloxane having a viscosity of 700 centistokes at 25°C, a methyltributanoximesilane, and a compound of the formula  $(\text{CH}_3\text{O})_3\text{Si}-\text{C}_3\text{H}_6-\text{NH}-\text{C}_6\text{H}_4-\text{CH}_2\text{NH}_2$ .